

FILTERING CELLS

DATA
SHEET:

C



VKR

2014

FEB

11


FLAT FILTERING CELLS
HONEYCOMB MICRO-MESH
VKR



VKR

GENERALS

FILTERING CELL FOR FAN CONVECTORS WITH GALVANIZED STAINLESS STEEL FRAME AND POLYPROPYLENE HONEYCOMB FILTERING SEPTUM THIS TYPE OF FILTERING SEPTUM CAN BE EASILY REGENERATED BY BLOWING AIR OR WASH.

FRAME	GALVANIZED STEEL
PROTECTIVE MESH	ON BOTH SIDES: ELECTROWELDED GALVANIZED STEEL WIRE
FILTERING SEPTUM	10X10 HONEYCOMB POLYPROPYLENE MICRO-MESH
WEIGHT OF THE FILTERING MASS	135 g/m ²
MELTING POINT	170°C
FREE AIR PERCENTAGE	57%
LEGEND OF DIMENSIONS <div><div>H</div><div>B</div><div>T</div><div>HEIGHT BASE CELL THICKNESS</div></div>	<div></div> <div>Reference drawing: vefim_celle_piane</div>

H (mm)	DIMENSIONS (mm) B (mm)	T (mm)	PRICE (€/m ²)
Da 100 a 1600	Da 100 a 230	5	a.r.

DIFFERENT DIMENSIONS OR VERSIONS ARE AVAILABLE ON REQUEST

Vefim S.r.l. reserves the right to update without notice the characteristics described above.
This document may not be reproduced, transcribed, or translated (in part or in full) without specific written permission by Vefim S.r.l as provided for by law.