

ACTIVE CARBON

AC22/25



CARB

GENERALS

GRANULAR ACTIVE CARBON, THANKS TO THEIR LARGE ACTIVE INTERNAL SURFACE AND THEIR RETENTION CAPACITY, ARE PARTICULARLY SUITABLE FOR AIR OR GAS CLEANING WITH LOW CONCENTRATIONS OF ORGANIC SOLVENTS. AIRASSORB® GRANULAR ACTIVE CARBON ARE GRANTED VIRGIN AND ARE OBTAINED BY THE ACTIVATION OF HIGHLY SELECTED RAW MATERIAL. THEY ARE PACKAGED IN A DOUBLE BAG TO PRESERVE THEM FROM MOISTURE AND THE ABSORPTION OF ODOURS DURING TRANSPORT

APPEARANCE	CYLINDERS
GRANULES DIAMETER	4 ± 0,3 mm
DENSITY (ASTM 2854)	600 ± 20 kg/m ³
INNER ACTIVE SURFACE (B.E.T. METHOD - ASTM 3663)	800 m ² /g
IODINE VALUE (ASTM 4607)	750 mg/g
MOISTURE (ASTM D 2867)	2% max
MECHANICAL STRENGTH (ASTM D3802)	95%
TOTAL ASH (ASTM D2866)	10%
CCL4 CARBON TETRACHLORIDE ABSORPTION (ASTM D 3467)	45% / 50% min
PACKAGING	EXTERNAL: POLYPROPYLENE RAFFIA BAG
	INTERNAL: POLYETHYLENE BAG

CODE	SUPPLY CONDITIONS	PRICE	
AC22/25	● BAGS 25 kg EACH	a.r.	
		€ / kg	
		DISCOUNTS LIST PER QUANTITY	
		From 25 kg to 100 kg	a.r.
		From 125 kg to 300 kg	a.r.
		From 325 kg to 500 kg	a.r.
		From 525 kg to 1000 kg	a.r.
		From 1025 kg to 2000 kg	a.r.
From 2025 kg to 5000 kg	a.r.		
Over 5000 kg	a.r.		

● Material normally in stock

OTHER TYPES OF ACTIVE CARBONS ARE AVAILABLE ON REQUEST
POSSIBILITY OF PROVIDING CARBON IN 500 OR 600 KG BIG BAGS

Vefim S.r.l. reserves the right to update without notice the characteristics described above.
This document may not be reproduced, transcribed, or translated (in part or in full) without specific written permission by Vefim S.r.l. as provided for by law.