

GENERALS

THE CARTRIDGE FILTERS WITH ACTIVE CARBONS (ACCART SERIES) ARE CONTAINERS CONSISTING OF A STURDY STRUCTURE WITHIN WHICH ARE THE ACTIVE CARBONS. THEY ARE WIDELY USED IN PAINT SYSTEMS, BUT CAN ALSO BE USED FOR OTHER APPLICATIONS.

RECHARGEABLE CONTAINMENT STRUCTURE BOTTOMS BOTTOMS MAXIMUM OPERATING RELATIVE HUMIDITY MAXIMUM OPERATING TEMPERATURE LEGEND OF DIMENSIONS LEGEND OF DIMENSIONS	YES GALVANIZED STEEL METAL SHEET GALVANIZED STEEL METAL SHEET 70% 40°
BOTTOMS MAXIMUM OPERATING RELATIVE HUMIDITY MAXIMUM OPERATING TEMPERATURE	GALVANIZED STEEL METAL SHEET 70%
MAXIMUM OPERATING RELATIVE HUMIDITY MAXIMUM OPERATING TEMPERATURE	70%
MAXIMUM OPERATING TEMPERATURE	
	40°
LEGEND OF DIMENSIONS	
HHEIGHTE1EXTERNAL SIDEE2EXTERNAL SIDEI1INTERNAL SIDEI2INTERNAL SIDE	$H = \begin{bmatrix} 12 \\ E1 \\ E2 \end{bmatrix} = \begin{bmatrix} 11 \\ E1 \\ E1 \\ E2 \end{bmatrix} = \begin{bmatrix} 11 \\ E1 \\ E1 \\ E1 \\ E1 \\ E1 \\ E1 \\ E1$


Reference drawing: vefim_accart_qua

PRODUCT CODE		PRICE	CONTENTS	TS DIMENSIONS (mm)					FILTERING	BED THICKNESS	AIR SPEED	AIR FLOW	PRESSURE	CONTACT TIME
		(€)	(kg. ca.)	E1	E2	11	12	Н	SURFACE (m ³)	(mm)	(m/s)	(m³/h)	DROP (Pa)	(s)
											0,05	209	22	0,60
AC34		a.r.	25 kg	320	320	260	260	1000	1,16	30	0,10	418	35	0,30
											0,25	1044	120	0,12
	-	-											-	
			COMPATIBILITÀ: MECNAN - METRON - SAICO - SPANESI											

AC34/630	•	a.r.	15 kg	320	320	260	260	630	0,73 30 0,05 132 22 0,60 0,73 30 0,10 263 35 0,30 0,25 658 120 0,12							
			COMPATIBILITÀ: MECNAN													

 $^{(1)}$ As per the data sheet AC22/25

DIFFERENT DIMENSIONS OR VERSIONS ARE AVAILABLE ON REQUEST OTHER TYPES OF ACTIVE CARBONS ARE AVAILABLE ON REQUEST







Vefim S.r.l. - Sistemi di Filtrazione <u>www.vefim.it</u> Tel. +39 045.820.22.79 - Fax +39 045.827.64.95 Ufficio Vendite Italia: venditeitalia@vefim.it

CARTRIDGE FILTERS FOR ACTIVE CARBONS **ACCART**



GENERALS

THE CARTRIDGE FILTERS WITH ACTIVE CARBONS (ACCART SERIES) ARE CONTAINERS CONSISTING OF A STURDY STRUCTURE WITHIN WHICH ARE THE ACTIVE CARBONS. THEY ARE WIDELY USED IN PAINT SYSTEMS, BUT CAN ALSO BE USED FOR OTHER APPLICATIONS.



Reference drawing: vefim_accart_qua

PRODUCT CODE		PRICE	SUPPLY CONDITIONS			DIMEN	ISIONS		COMPATIBILITÀ	CONTENT	
	(€)		Soft Er conditions	E1	E2	11	12	н		(approx. kg)	
AC20/3	•	a.r.	VUOTA	320	320	260	260	1000	MECNAN - METRON SAICO - SPANESI	25	
AC20/3B		a.r.	VUOTA	320	320	260	260	630	MECNAN	15	

• Material normally in stock

DIFFERENT DIMENSIONS OR VERSIONS ARE AVAILABLE ON REQUEST OTHER TYPES OF ACTIVE CARBONS ARE AVAILABLE ON REQUEST

